

Cultivating Complex Analysis:
The exponential (1.2.1)
Polar coordinates (1.2.2)

Jiří Lebl

Departemento pri Matematiko de Oklahoma Ŝtata Universitato

Define the exponential e^z for $z \in \mathbb{C}$ (using the real exponential and sin/cos):

$$\exp(z) = e^z = e^{x+iy} \stackrel{\text{def}}{=} e^x e^{iy} = e^x \cos y + ie^x \sin y.$$

Define the exponential e^z for $z \in \mathbb{C}$ (using the real exponential and sin/cos):

$$\exp(z) = e^z = e^{x+iy} \stackrel{\text{def}}{=} e^x e^{iy} = e^x \cos y + ie^x \sin y.$$

Some immediate properties:

$$e^{\bar{z}} = e^{x-iy} = e^x \cos y - ie^x \sin y = \overline{e^z}, \quad |e^z| = |e^{x+iy}| = e^x.$$



Define the exponential e^z for $z \in \mathbb{C}$ (using the real exponential and sin/cos):

$$\exp(z) = e^z = e^{x+iy} \stackrel{\text{def}}{=} e^x e^{iy} = e^x \cos y + ie^x \sin y.$$

Some immediate properties:

$$e^{\bar{z}} = e^{x-iy} = e^x \cos y - ie^x \sin y = \overline{e^z}, \quad |e^z| = |e^{x+iy}| = e^x.$$

Graphs of the real and imaginary part:



Proposition

For any two complex numbers $z, w \in \mathbb{C}$, $e^{z+w} = e^z e^w$.

Proof is an exercise (requires trig identities).

Proposition

For any two complex numbers $z, w \in \mathbb{C}$, $e^{z+w} = e^z e^w$.

Proof is an exercise (requires trig identities).

Euler's formula ($\theta \in \mathbb{R}$):

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

Proposition

For any two complex numbers $z, w \in \mathbb{C}$, $e^{z+w} = e^z e^w$.

Proof is an exercise (requires trig identities).

Euler's formula ($\theta \in \mathbb{R}$):

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

Meaning for $\theta \in \mathbb{R}$:

$$\cos \theta = \operatorname{Re} e^{i\theta} = \frac{e^{i\theta} + e^{-i\theta}}{2}, \quad \sin \theta = \operatorname{Im} e^{i\theta} = \frac{e^{i\theta} - e^{-i\theta}}{2i}.$$

Proposition

For any two complex numbers $z, w \in \mathbb{C}$, $e^{z+w} = e^z e^w$.

Proof is an exercise (requires trig identities).

Euler's formula ($\theta \in \mathbb{R}$):

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

Meaning for $\theta \in \mathbb{R}$:

$$\cos \theta = \operatorname{Re} e^{i\theta} = \frac{e^{i\theta} + e^{-i\theta}}{2}, \quad \sin \theta = \operatorname{Im} e^{i\theta} = \frac{e^{i\theta} - e^{-i\theta}}{2i}.$$

We define \sin and \cos for $z \in \mathbb{C}$ accordingly:


$$\cos z \stackrel{\text{def}}{=} \frac{e^{iz} + e^{-iz}}{2}, \quad \sin z \stackrel{\text{def}}{=} \frac{e^{iz} - e^{-iz}}{2i}.$$

\mathbb{C} is just the plane, so we can use *polar coordinates* for $z = x + iy$: $x = r \cos \theta$ and $y = r \sin \theta$.

\mathbb{C} is just the plane, so we can use *polar coordinates* for $z = x + iy$: $x = r \cos \theta$ and $y = r \sin \theta$.

Due to the Euler formula:

$$z = re^{i\theta} = r \cos \theta + ir \sin \theta = x + iy.$$




\mathbb{C} is just the plane, so we can use *polar coordinates* for $z = x + iy$: $x = r \cos \theta$ and $y = r \sin \theta$.

Due to the Euler formula:

$$z = re^{i\theta} = r \cos \theta + ir \sin \theta = x + iy.$$

We call $re^{i\theta}$ the *polar form*.




\mathbb{C} is just the plane, so we can use *polar coordinates* for $z = x + iy$: $x = r \cos \theta$ and $y = r \sin \theta$.

Due to the Euler formula:

$$z = re^{i\theta} = r \cos \theta + ir \sin \theta = x + iy.$$

We call $re^{i\theta}$ the *polar form*.

$r = |z| = \sqrt{x^2 + y^2}$ is the modulus.



\mathbb{C} is just the plane, so we can use *polar coordinates* for $z = x + iy$: $x = r \cos \theta$ and $y = r \sin \theta$.


Due to the Euler formula:

$$z = re^{i\theta} = r \cos \theta + ir \sin \theta = x + iy.$$

We call $re^{i\theta}$ the *polar form*.

$r = |z| = \sqrt{x^2 + y^2}$ is the modulus.

θ is called the *argument*.



Polar form is good for multiplication and powers:

Polar form is good for multiplication and powers:

Suppose $z = re^{i\theta}$ and $w = se^{i\psi}$,

Polar form is good for multiplication and powers:

Suppose $z = re^{i\theta}$ and $w = se^{i\psi}$,

$$zw = re^{i\theta} se^{i\psi} = rse^{i(\theta+\psi)}, \quad \frac{1}{z} = \frac{1}{re^{i\theta}} = \frac{1}{r}e^{-i\theta}, \quad z^n = (re^{i\theta})^n = r^n e^{in\theta}.$$

Polar form is good for multiplication and powers:

Suppose $z = re^{i\theta}$ and $w = se^{i\psi}$,

$$zw = re^{i\theta} se^{i\psi} = rse^{i(\theta+\psi)}, \quad \frac{1}{z} = \frac{1}{re^{i\theta}} = \frac{1}{r}e^{-i\theta}, \quad z^n = (re^{i\theta})^n = r^n e^{in\theta}.$$

Multiplication rotates by the argument and scales by the modulus.

Polar form is good for multiplication and powers:

Suppose $z = re^{i\theta}$ and $w = se^{i\psi}$,

$$zw = re^{i\theta} se^{i\psi} = rse^{i(\theta+\psi)}, \quad \frac{1}{z} = \frac{1}{re^{i\theta}} = \frac{1}{r}e^{-i\theta}, \quad z^n = (re^{i\theta})^n = r^n e^{in\theta}.$$

Multiplication rotates by the argument and scales by the modulus.

Again note that $i = e^{i\pi/2}$ is rotation counterclockwise by 90 degrees.

Polar form is good for multiplication and powers:

Suppose $z = re^{i\theta}$ and $w = se^{i\psi}$,

$$zw = re^{i\theta} se^{i\psi} = rse^{i(\theta+\psi)}, \quad \frac{1}{z} = \frac{1}{re^{i\theta}} = \frac{1}{r}e^{-i\theta}, \quad z^n = (re^{i\theta})^n = r^n e^{in\theta}.$$

Multiplication rotates by the argument and scales by the modulus.

Again note that $i = e^{i\pi/2}$ is rotation counterclockwise by 90 degrees.

The downside is that the polar form is terrible for addition.